



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2016 - June 30, 2017

Filing Confirmation Number: 0007856989

Filing Deadline: July 17, 2017

FRN: 0005810205

Filing Date: 07/17/2017 02:32 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Samsung Electronics America

Brand Names: Samsung

PO Box:

Street Address: 85 Challenger Road

City: Ridgefield Park

State: NJ

Zip Code: 07660

Contact Name: Kendra M. Green

Contact Phone: (972) 761-7123

Contact Fax:

Contact Email: kgreen@sea.samsung.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: <http://www.samsung.com/us/accessibility/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Samsung has consumer outreach which consists of both publicly sharing information about the accessibility features in our devices, including HAC ratings, and actively seeking and responding to input from consumers, experts, and disability groups. Samsung has a website for accessibility. This website lists HAC ratings by carrier and also helps to explain the meaning of M and Tcoil ratings. This website provides contact information that helps consumers communicate with the Samsung Accessibility team. Samsung receive and acts on feedback we receive about ways to further enhance the accessibility of our products for individuals with different disabilities, including individuals with hearing loss. Some of this feedback we receive directly from our customers, and some of this feedback we receive from partnerships with disability experts and groups. We also participate in different conferences, conventions, and trade associations that provide great opportunities for such feedback.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 17

Report Remarks

No phones this report period were tested against C63.19 2007 Hearing Aid Standard

You have reported the following handset model summary information.
Total number of handsets offered: 65

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	47	96%	2	4%			49
CDMA	39	93%	3	7%			42
WCDMA	46	98%	1	2%			47
LTE	57	95%	3	5%			60
Wi-Fi	57	95%	3	5%			60

Handset 1: Samsung Galaxy S 5/SM-G900V

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy S 5/SM-G900V
S902L
SM-S903VL

A3LSMG900V
A3LSMG900V
A3LSMG900V

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 2: Samsung N910 Galaxy Note 4

Handset Maker

Samsung

Handset Model Name

FCC ID

N910 Galaxy Note 4

A3LSMN910A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 09/25/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/25/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: Samsung rugby 4

Handset Maker

Samsung

Handset Model Name

rugby 4

FCC ID

A3LSMB780A

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 06/02/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/02/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: Samsung S920L

Handset Maker

Samsung

Handset Model Name

S920L

FCC ID

A3LSMS920L

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

1700 MHz LTE

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 03/26/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/26/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 5: Samsung SCH-I435

Handset Maker

Samsung

Handset Model Name

SCH-I435

SCH-I435L

FCC ID

A3LSCHI435

A3LSCHI435

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 07/16

Ratings

M-Rating: M3

M-Rating Certification Date: 10/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 6: Samsung SCH-I545

Handset Maker

Samsung

Handset Model Name	FCC ID
--------------------	--------

SCH-I545	A3LSCHI545
----------	------------

SCH-I545L	A3LSCHI545
-----------	------------

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 11/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/29/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 7: Samsung SCH-R220G

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-R220G

A3LSCHR220

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/16 to 11/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/31/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/31/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Samsung SCH-R970X

Handset Maker

Samsung

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 11/16

Ratings

M-Rating: M4

M-Rating Certification Date: 05/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 9: Samsung SCH-S968C**Handset Maker**

Samsung

Handset Model Name

SCH-S968C

FCC ID

A3LSCHI535

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 08/16

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 10: Samsung SM-B311V

Handset Maker

Samsung

Handset Model Name

SM-B311V

FCC ID

A3LSMB311V

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 01/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/21/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 11: Samsung SM-B690V

Handset Maker

Samsung

Handset Model Name

SM-B690V

FCC ID

A3LSMB690V

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

1900 MHz GSM

1900 MHz CDMA

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 01/28/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/28/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 12: Samsung SM-G360AZ

Handset Maker

Samsung

Handset Model Name

SM-G360AZ

FCC ID

A3LSMG360AZ

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 02/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/05/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 13: Samsung SM-G360P

Handset Maker

Samsung

Handset Model Name

SM-G360P

FCC ID

A3LSMG360P

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE

Dates

This handset model was offered from: 07/16 to 10/16

Ratings

M-Rating: M3

M-Rating Certification Date: 11/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 14: Samsung SM-G360T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G360T

A3LSMG360T

SM-G360T1

A3LSMG360T

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 07/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/11/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/11/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 15: Samsung SM-G360R6

Handset Maker

Samsung

Handset Model Name	FCC ID
--------------------	--------

SM-G360R6	A3LSMG360V
SM-G360V	A3LSMG360V
SM-S820L	A3LSMG360V

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 10/16

Ratings

M-Rating: M3

M-Rating Certification Date: 12/30/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/30/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 16: Samsung SM-G386T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G386T

A3LSMG386T

SM-G386T1

A3LSMG386T

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 07/16

Ratings

M-Rating: M3

M-Rating Certification Date: 06/11/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/11/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 17: Samsung SM-G530A

Handset Maker

Samsung

Handset Model Name	FCC ID
--------------------	--------

SM-G530A	A3LSMG530AZ
SM-G530AZ	A3LSMG530AZ

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
900 MHz GSM
900 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 02/04/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/04/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 18: Samsung SM-G530P

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G530P

A3LSMG530P

SM-G530R7

A3LSMG530P

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

800 MHz LTE

850 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.5 GHz LTE

Dates

This handset model was offered from: 07/16 to 02/17

Ratings

M-Rating: M4

M-Rating Certification Date: 06/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/05/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 19: Samsung SM-G530R4

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G530R4

A3LSMG530R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 06/16 to 07/16

Ratings

M-Rating: M4

M-Rating Certification Date: 05/18/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/18/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 20: Samsung SM-G530T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G530T

A3LSMG530T

SM-G530T1

A3LSMG530T

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 07/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/19/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/19/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 21: Samsung SM-G550T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G550T

A3LSMG550T

SM-G550T1

A3LSMG550T

SM-S550TL

A3LSMG550T

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 05/04/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/04/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 22: Samsung SM-G800R4

Handset Maker

Samsung

Handset Model Name

SM-G800R4

FCC ID

A3LSMG800R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 08/16

Ratings

M-Rating: M4

M-Rating Certification Date: 09/15/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/15/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 23: Samsung SM-G890A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G890A

A3LSMG890A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.5 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 05/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 24: Samsung SM-G891A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G891A

A3LSMG891A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 07/16 to 04/17

Ratings

M-Rating: M3

M-Rating Certification Date: 04/22/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/22/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 25: Samsung SM-G920A

Handset Maker

Samsung

Handset Model Name FCC ID

SM-G920A	A3LSMG920A
SM-G920AZ	A3LSMG920A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 26: Samsung SM-G920P

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G920P

A3LSMG920P

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 11/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 27: Samsung SM-G920R4

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G920R4

A3LSMG920R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 02/17

Ratings

M-Rating: M4

M-Rating Certification Date: 03/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 28: Samsung SM-G920R7

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G920R7

A3LSMG920R7

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 02/17

Ratings

M-Rating: M4

M-Rating Certification Date: 04/14/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/14/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 29: Samsung SM-G920T

Handset Maker

Samsung

Handset Model Name	FCC ID
--------------------	--------

SM-G920T	A3LSMG920T
SM-G920T1	A3LSMG920T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 30: Samsung S906L

Handset Maker

Samsung

Handset Model Name FCC ID

S906L	A3LSMG920V
SM-G920V	A3LSMG920V
SM-S907VL	A3LSMG920V

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 03/19/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/19/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 31: Samsung SM-G925R4

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G925R4

A3LSMG925R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 03/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 32: Samsung SM-G925R7

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G925R7

A3LSMG925R7

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
782 MHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 04/14/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/14/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 33: Samsung SM-G928A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G928A

A3LSMG928A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz LTE
5.0 GHz LTE
2300 MHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 07/15/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/15/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 34: Samsung SM-G928R4

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G928R4

A3LSMG928R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 05/17

Ratings

M-Rating: M4

M-Rating Certification Date: 07/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 35: Samsung SM-G930A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G930A	A3LSMG930US
SM-G930AZ	A3LSMG930US
SM-G930P	A3LSMG930US
SM-G930R4	A3LSMG930US
SM-G930R6	A3LSMG930US
SM-G930R7	A3LSMG930US
SM-G930T	A3LSMG930US
SM-G930T1	A3LSMG930US
SM-G930U	A3LSMG930US
SM-G930V	A3LSMG930US
SM-G930VC	A3LSMG930US
SM-G930VL	A3LSMG930US

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2300 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/03/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/03/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 36: Samsung SM-G935A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G935A	A3LSMG935US
SM-G935P	A3LSMG935US
SM-G935R4	A3LSMG935US
SM-G935T	A3LSMG935US
SM-G935U	A3LSMG935US
SM-G935V	A3LSMG935US
SM-G935VC	A3LSMG935US

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/03/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/03/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 37: Samsung SM-G950U

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G950U

A3LSMG950U

SM-G950U1

A3LSMG950U

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.5 GHz Wi-Fi

5.0 GHz Wi-Fi

1750 MHz WCDMA

2300 MHz LTE

2500 MHz LTE

Dates

This handset model was offered from: 04/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 04/06/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/06/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 38: Samsung SM-G955U

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G955U

A3LSMG955U

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
1750 MHz WCDMA
2300 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 04/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 04/06/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/06/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 39: Samsung SM-J100VPP

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J100VPP

A3LSMJ100VPP

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 04/15/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/15/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 40: Samsung SM-J120A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J120A

A3LSMJ120A

SM-J120AZ

A3LSMJ120A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 01/28/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/28/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 41: Samsung SM-J320P

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J320P

A3LSMJ320P

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

800 MHz LTE

850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 11/17/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/17/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 42: Samsung SM-J320R4

Handset Maker

Samsung

Handset Model Name

SM-J320R4

FCC ID

A3LSMJ320R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 03/11/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/11/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 43: Samsung SM-J320VPP

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J320VPP

A3LSMJ320VPP

SM-S320VL

A3LSMJ320VPP

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/03/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/03/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 44: Samsung SM-J320A

Handset Maker

Samsung

Handset Model Name	FCC ID
--------------------	--------

SM-J320A	A3LSMJ320A
SM-J320AZ	A3LSMJ320A
SM-J321AZ	A3LSMJ320A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 02/19/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/19/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 45: Samsung SM-J327R4

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J327R4

A3LSMJ327R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 04/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 04/06/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/06/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 46: Samsung SM-J327T

Handset Maker

Samsung

Handset Model Name FCC ID

SM-J327T	A3LSMJ327T
SM-J327T1	A3LSMJ327T
SM-S337TL	A3LSMJ327T

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
1750 MHz WCDMA

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/15/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/15/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 47: Samsung SM-J327R6

Handset Maker

Samsung

Handset Model Name	FCC ID
--------------------	--------

SM-J327R6	A3LSMJ327V
SM-J327V	A3LSMJ327V
SM-J327VPP	A3LSMJ327V

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 04/14/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/14/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 48: Samsung SM-J700P

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J700P

A3LSMJ700P

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 01/18/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/18/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 49: Samsung SM-J700T

Handset Maker

Samsung

Handset Model Name	FCC ID
--------------------	--------

SM-J700T	A3LSMJ700T
----------	------------

SM-J700T1	A3LSMJ700T
-----------	------------

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 05/17

Ratings

M-Rating: M3

M-Rating Certification Date: 04/01/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/01/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 50: Samsung SM-J727R4

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J727R4

A3LSMJ727R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 06/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/29/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/29/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 51: Samsung SM-J727T

Handset Maker

Samsung

Handset Model Name FCC ID

SM-J727T	A3LSMJ727T
SM-J727T1	A3LSMJ727T
SM-J727U	A3LSMJ727T
SM-S737TL	A3LSMJ727T

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
1750 MHz WCDMA

Dates

This handset model was offered from: 04/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/23/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/23/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 52: Samsung SM-J727V

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J727V

A3LSMJ727V

SM-J727VPP

A3LSMJ727V

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 01/18/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/18/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 53: Samsung SM-N910R4

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-N910R4

A3LSMN910R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 08/16

Ratings

M-Rating: M4

M-Rating Certification Date: 09/16/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/16/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 54: Samsung SM-N910T

Handset Maker

Samsung

Handset Model Name	FCC ID
--------------------	--------

SM-N910T	A3LSMN910T
SM-N910T2	A3LSMN910T
SM-N910T3	A3LSMN910T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 12/16

Ratings

M-Rating: M4

M-Rating Certification Date: 11/18/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/18/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 55: Samsung SM-N915A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-N915A

A3LSMN915A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 10/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 56: Samsung SM-N920A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-N920A

A3LSMN920A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 08/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/15/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/15/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 57: Samsung SM-N920P

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-N920P

A3LSMN920P

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 07/16 to 03/17

Ratings

M-Rating: M4

M-Rating Certification Date: 07/21/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/21/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 58: Samsung SM-N920R4

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-N920R4

A3LSMN920R4

SM-N920R7

A3LSMN920R4

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 02/17

Ratings

M-Rating: M4

M-Rating Certification Date: 07/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 59: Samsung SM-N920T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-N920T

A3LSMN920T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 12/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 60: Samsung SM-N920R6

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-N920R6

A3LSMN920V

SM-N920V

A3LSMN920V

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 12/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/15/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/15/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 61: Samsung SM-N930A

Handset Maker

Samsung

Handset Model Name	FCC ID
--------------------	--------

SM-N930A	A3LSMN930U
SM-N930P	A3LSMN930U
SM-N930T	A3LSMN930U
SM-N930U	A3LSMN930U
SM-N930V	A3LSMN930U
SMN930R4	A3LSMN930U

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz LTE
1750 MHz WCDMA

Dates

This handset model was offered from: 08/16 to 10/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/13/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/13/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 62: Samsung SM-S120VL

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-S120VL

A3LSMS120VL

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/16 to 02/17

Ratings

M-Rating: M4

M-Rating Certification Date: 06/13/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/13/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 63: Samsung SM-S327VL

Handset Maker

Samsung

Handset Model Name

SM-S327VL

FCC ID

A3LSMS327VL

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 01/10/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/10/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 64: Samsung SM-S727VL

Handset Maker

Samsung

Handset Model Name

SM-S727VL

FCC ID

A3LSMS727VL

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 01/19/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/19/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 65: Samsung SM-S777C

Handset Maker

Samsung

Handset Model Name

SM-S777C

FCC ID

A3LSMS777C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 10/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/20/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/20/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Certification

This Report has been certified by:

Kendra M Green Regulatory Compliance Manager
07/17/2017 02:32 PM